

PCI-H01HP2 HDMI 2.0 to 4K@30Hz PCIe Capture Card



The Super 4K Capture Mate for PC!

OVERVIEW

Partilink PCI-H01HP2, HDMI 2.0 to $4 \text{K} \otimes 30 \text{Hz}$ PCIe Capture Card, is designed to capture $4 \text{K} \otimes 60 \text{Hz}$ video, then uplink $4 \text{K} \otimes 30 \text{Hz}$ data to the computer through the PCIe. It allows the user to capture 4 K HDMI video from sources such as PS4, XBOX, Switch, camera ... etc. for filing, re-editing and streaming via the PC.

It will not affect the performance of computer while maintaining a resolution up to 4K at 30Hz. with this 4K HDMI capture mate for PC, streaming media made easy to capture every sound and movement effectively and simultaneously.

FEATURES

- Supports HDMI input resolution up to 3840x2160@60Hz and HDR
- HDMI loop-out port supports resolution up to 3840x2160@60Hz and HDR
- Video capture resolution up to 3840x2160@30Hz or 1920x1080p@120Hz
- Supports deep color (36-bit color)
- Supports PCle X 1 (Gen4)
- Compatible with third-party applications such as QuickTime, OBS, XSplit, vMix...etc.



SPECIFICATION

MODEL NO.	PCI-H01HP2			
INPUT INTERFACE	HDMI 2.0 Type-A x 2			
OUTPUT INTERFACE	PCIE x 1, HDMI 2.0 Type-A x 1			
INPUT/ OUTPUT (LOOPOUT) RESOLUTION	3840 x 2160p 60/50/30/25/24Hz 2560 x 1440p 144/60Hz 1920 x 1080p 240/144/120/60/50/30/25/24Hz 1920 x 1080i 60/50Hz 1280 x720p 60/50Hz 720 x 576p 50Hz 720 x480p 60Hz 720 (1440) x576i 50Hz 720 (1440) x480i 60Hz 640 x480p 60Hz			
CAPTURE RESOLUTION	NV12		YUY2	
	3840x2160p 2560x1440p 1920x1080p 120/60/50/3 1280x720p 720x480p 720x576p 640x480p	30 Hz 60 Hz 30/25 Hz 60 Hz 60 Hz 50 Hz 60 Hz	2560x1440p 1920x1080p 60/50/30 1280x720p 720x480p 720x576p 640x480p	50 Hz)/25 Hz 60 Hz 60 Hz 50 Hz 60 Hz
COLOR SAMPLING	RGB, YUV (YCbCr444, YCbCr422, YCbCr420)			
VIDEO FORMAT	NV12 , YUY2			
UAC AUDIO OUTPUT	Stereo / 16-bit PCM encoded audio at 48KHz sampling rates			
SYSTEM REQUIREMENTS	CPU	i5 Dual Core 2.8GHz or higher		
	RAM	4GB or higher		
	OS	Windows 8 and above MacOS 10.13 and above		
ENVIRONMENT	Operating Temperature 0℃ ~ 45℃			
	Operating Humidity 20% ~ 90%			
DIMENSION	120.9 x 133.7 x 21.6m (W x L x H)			
WEIGHT	160 G			



APPLICATION

- Gaming: capturing and editing the file for storage on PC, or live steaming to display in various media platform such as YouTube, FB, Instagram ... etc.
- Business: video conference, live streaming to promote and demonstrate product
- Education: remote teaching and training

DIAGRAM





